




*Seal of Trust*



**Manufacturer & Exporter of premium quality Solvent Cements for UPVC, CPVC, PVC & ABS Piping Systems. Rubber Lubricant, Pipe Thread Sealant, Gasket Sealant, Shellac, Silicone Sealant & PTFE Tapes.**

**Technical collaboration with Creative Adhesives Inc., USA**



\*NSF is applicable only for NeoSeal 205, 305, 217 & 314

**Joint made by NeoSeal last for LIFE**

**www.neoseal.net**

## COMPANY PROFILE

NeoSeal Adhesive is manufacturer and supplier of the finest quality solvent cement for PVC, UPVC (PVC-U), CPVC and ABS piping system. NeoSeal products are used for potable water, irrigation, SWR, conduit, sewer, drain, waste and vent system in agriculture, residential, commercial and industrial plumbing applications. We offer complete line of solvent cements in the industry with products specifically formulated for a wide variety of applications.



## OUR STRENGTH

NeoSeal products are designed and developed by experienced chemists/engineers/scientists. Our products meet or exceed the performance requirements of ASTM (American Society for Testing and Materials) standards and certified by NSF (NSF International, USA). In fact, NeoSeal is the first Indian company to obtain NSF certificate for its CPVC solvent cements.

We are committed to manufacture environment friendly quality products hence our products are Low VOC (Volatile Organic Compound) and compliant with LEED® (Leadership in Energy and Environmental Design) Green Building requirements. It has lower emissions, reduced odour and it meets the most stringent air quality regulations of SCAQMD (South coast air quality management district), USA. We care about human health therefore we don't use any unsafe cheap chemicals (unsafe for drinking water) in our products.


Technical collaboration with Creative Adhesives Inc., USA (expert in the adhesive technologies) significantly enhanced the company's technical capability. NeoSeal products are harmonized with the USA technologies and it offers the highest strength, consistent quality, performance, reliability and sustainability.

NeoSeal continually invest in research, facility, people, systems and new technologies to improve products, productivity and service to our customers. We always strive to offer innovative products and solutions for any plumbing application. Our goal is to become the most sought brands in the industry and provide the finest quality products and service to maximize overall value to our customers. We take pride in offering the highest quality products at affordable price.

Our real strength is the people, who work with sincerity and dedication, our valued customers (OR distributors & dealers) who put their trust on us and support us with repeated orders. We value our distributors & dealers who work with us as strategic partners.

## QUALITY

We strongly believe in quality which goes hand and hand with customer's investment in our products. Each product is carefully tested to assure that consistent high quality is maintained. Gas chromatography and additional in-depth testing ensures that each batch is manufactured according to the standard define processes. A batch identification code is stamped on the bottom of each can/tube and assure traceability of all materials and processes used in manufacturing of solvent cements. NeoSeal products are backed by highly trained technical service and customer support programs. Achievement of ISO 9001:2015 (from TÜV SÜD South Asia) certification further strengthens our consistent quality and commitment to our customers.



ZERTIFIKAT ♦ CERTIFICATE ♦ 認証証書 ♦ CERTIFICADO ♦ CERTIFICADO ♦ CERTIFICADO



## CERTIFICATE

The Certification Body  
of TÜV SÜD South Asia Private Limited  
certifies that



**NEOSEAL ADHESIVE PVT. LTD**  
PLOT NO. 6287, SAVLI GIDC, MANJUSAR, TA:SAVLI,  
VADODARA - 391 775, GUJARAT, INDIA

has implemented a Quality Management System  
in accordance with **ISO 9001:2015**  
For Scope of

**Development, Manufacturer and Supply of Solvent Cement adhesives  
and sealants. Trading of PTFE (Poly tetra fluoro ethylene) taps**

The certificate is valid From **2018-08-08** until **2021-08-07**

Subject to successful completion of annual periodic audits  
The present status of this Certificate can be obtained on [www.tuv-sud.in](http://www.tuv-sud.in)  
Further clarifications regarding the scope of this certificate may be obtained by consulting the certification body

Certificate Registration No. **99 100 16347**  
Date of Initial certification : **2015-10-01**

Certification Body  
of TÜV SÜD South Asia Private Limited, Mumbai  
Member of TÜV SÜD Group



## IRRIGATION PVC SOLVENT CEMENTS

### NeoSeal 105 CLEAR - PVC Cement / Irrigation Cement

- Regular bodied, slow setting, HIGH PRESSURE, high strength cement.
- Specially formulated for all types of ISI PVC irrigation piping systems. It provides long working time to make joints in a hot climate.
- It can be used for conduit, sewer, drain, waste and vent systems.
- **Compliant with ISI - IS14182 standard.**
- Brookfield Viscosity : Min. 90 cP
- Shelf life : PVC can -1 year & Tin can / Tube - 2 years
- Store product below 44°C (111°F)



Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
10 ml Tube	50	800	Rs. 19.00	35061000	GST 18%
25 ml Tube	50	600	Rs. 27.00	35061000	GST 18%
50 ml Tube	50	300	Rs. 46.00	35061000	GST 18%
100 ml Tube	48	192	Rs. 80.00	35061000	GST 18%
50 ml Plastic Can	50	300	Rs. 41.00	35061000	GST 18%
100 ml Plastic Can	48	192	Rs. 75.00	35061000	GST 18%
250 ml Plastic Can	24	96	Rs. 170.00	35061000	GST 18%
500 ml Plastic Can	20	40	Rs. 285.00	35061000	GST 18%
1000 ml Plastic Can	12	24	Rs. 525.00	35061000	GST 18%
5000 ml Plastic Can	4	4	Rs. 2250.00	35061000	GST 18%
20 Ltr. Plastic Jar	1	1	Rs. 9000.00	35061000	GST 18%
50 ml Tin Can	24	288	Rs. 75.00	35061000	GST 18%
100 ml Tin Can	24	144	Rs. 100.00	35061000	GST 18%
250 ml Tin Can	24	96	Rs. 185.00	35061000	GST 18%
500 ml Tin Can	20	40	Rs. 320.00	35061000	GST 18%
1000 ml Tin Can	12	24	Rs. 565.00	35061000	GST 18%

## CPVC SOLVENT CEMENT

### NeoSeal CPVC YELLOW - Medium Bodied Low VOC CPVC Cement

- Medium bodied, fast setting, high strength Low VOC CPVC solvent cement.
- Designed for all grades and types of CPVC pipe and fittings through 3" (110mm) dia. Sch.40 & Sch. 80 interference fit and SDR 13.5 & 11.
- For hot & cold potable water up to 82°C (180°F)
- **Certified by ASTM F-493 & ASTM D-2846 standard requirements.**
- Meets SCAQMD Rule 1168/316A and Qualify for LEED® Green Building requirements.
- Brookfield Viscosity : Minimum 500 cP
- Shelf life : 2 years
- Store product below 33°C (90°F)



### NeoSeal 305(NSF) - CPVC Solvent Cement

Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
10 ml Tube	25	800	Rs. 34.00	35061000	GST 18%
25 ml Tube	25	600	Rs. 70.00	35061000	GST 18%

### NeoSeal 300 - CPVC Solvent Cement

Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
50 ml Tin Can	24	288	Rs. 140.00	35061000	GST 18%
100 ml Tin Can	24	144	Rs. 215.00	35061000	GST 18%
118 ml Tin Can	24	144	Rs. 245.00	35061000	GST 18%
237 ml Tin Can	12	96	Rs. 420.00	35061000	GST 18%
473 ml Tin Can	12	48	Rs. 750.00	35061000	GST 18%
946 ml Tin Can	6	24	Rs. 1400.00	35061000	GST 18%

PRICE LIST EFFECTIVE FROM - 01 MAY 2023

## PVC, UPVC (PVC-U) SOLVENT CEMENTS

### NeoSeal UPVC CLEAR / BLUE - Regular Bodied Low VOC PVC, UPVC (PVC-U) Cement

- Regular bodied, fast setting, high strength Low VOC solvent cement.
- Designed for all grades and types of PVC, UPVC (PVC-U) pipe and fittings through 3" (90mm) diameter Schedule 40 & Sch. 80 interference fit.
- For potable water, plumbing, irrigation, conduit, sewer, drain, waste and vent systems.
- **Meets ASTM D-2564 standard requirements.**
- Meets SCAQMD Rule 1168/316A and Qualify for LEED® Green Building requirements.
- Brookfield Viscosity: Minimum 90 cP
- Shelf life: 3 years
- Store product below 44°C (111°F)



#### NeoSeal 205(NSF) - UPVC Solvent Cement

Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
10 ml Tube	25	800	Rs. 28.00	35061000	GST 18%
25 ml Tube	25	600	Rs. 50.00	35061000	GST 18%

#### NeoSeal 200 - UPVC Solvent Cement

Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
50 ml Tin Can	24	288	Rs. 110.00	35061000	GST 18%
59 ml Tin Can	24	288	Rs. 160.00	35061000	GST 18%
100 ml Tin Can	24	144	Rs. 135.00	35061000	GST 18%
118 ml Tin Can	24	144	Rs. 175.00	35061000	GST 18%
237 ml Tin Can	12	96	Rs. 290.00	35061000	GST 18%
473 ml Tin Can	12	48	Rs. 555.00	35061000	GST 18%
946 ml Tin Can	6	24	Rs. 1020.00	35061000	GST 18%

## RUBBER LUBRICANT

### NeoSeal Rubber Lubricant

- For quick and easy water tight joint of PVC, SWR Ring-fit, SWR self-fit, Sewer drain piping systems for low to non-pressure application.
- Non-flammable, Non-toxic, Non-corrosive.
- Will not harm rubber gasket or plastic pipe.
- Safe for potable water systems.
- Doesn't promote bacteria growth.
- Non greasy mess; easy clean up.
- Shelf life: 1 year
- Store product below 44°C (111°F).



Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
50 gm	40	320	Rs. 30.00	34049020	GST 18%
100 gm	24	192	Rs. 45.00	34049020	GST 18%
250 gm	20	80	Rs. 85.00	34049020	GST 18%
500 gm	20	40	Rs. 150.00	34049020	GST 18%
1000 gm	12	24	Rs. 260.00	34049020	GST 18%

PRICE LIST EFFECTIVE FROM - 01 MAY 2023

## THREADED SEALANT

### NEO TITE (PIPE THREADED SEALANT)

- NeoSeal Pipe Thread Sealant is non-hardening White OR Black paste.
- For use on galvanized steel, stainless steel, iron, brass, copper, aluminum and polyethylene pipes.
- Creamy, non-separating, non-toxic formula provides excellent thread coverage.
- Withstands high temperature and pressure. It remains flexible after settings.
- Hydrostatic pressure capacity: Minimum 30 Kg/cm<sup>2</sup> (400 psi.)
- Shelf life: 1 year
- Store product below 44°C (111°F)



Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
25 gm	40	320	Rs. 15.00	3214100	GST 18%
50 gm	40	320	Rs. 25.00	3214100	GST 18%
100 gm	24	192	Rs. 50.00	3214100	GST 18%
200 gm	20	80	Rs. 85.00	3214100	GST 18%
500 gm	20	40	Rs. 180.00	3214100	GST 18%

## EPOXY PUTTY

### EPOXY PUTTY "SARAL-SEAL"

Easy-Seal Regular Epoxy Putty Compound is a two component room temperature curing, easy to use multi-purpose epoxy putty. It useful in sealing, gripping, joining, insulating variety of surfaces like ferrous and non-ferrous metals, porcelain, ceramic, marble, concrete, granite, asbestos, glass, wood, certain plastics, etc.

On curing, the compound sets into a hard mass that can be drilled, tapped, machined, cut and then painted. It has a good electrical insulating properties and the cured product is resistant to moisture, heat, mild acids and alkali.

It is ideal for industrial, electrical, automotive, grouting civil cracks, general & household, handicraft applications. Resin and hardener components are equally mixed with both hands by rolling between two palms until a dark gray colour (like dried cement mortar) is attained.

Shelf life: 1 year.



Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
25 gm Sanitary - White Epoxy-Jar Pack	44	528	Rs. 10.00	3214100	GST 18%
50 gm Sanitary - White Epoxy-Jar Pack	37	444	Rs. 20.00	3214100	GST 18%
100 gm Sanitary - White Epoxy-Jar Pack	20	240	Rs. 35.00	3214100	GST 18%
200 gm Sanitary - White Epoxy	40	80	Rs. 60.00	3214100	GST 18%
1000 gm Sanitary - White Epoxy	1	20	Rs. 280.00	3214100	GST 18%

PRICE LIST EFFECTIVE FROM - 01 MAY 2023

## EPOXY PUTTY

### EPOXY PUTTY "SARAL-SEAL"

Easy-Seal Regular Epoxy Putty Compound is a two component room temperature curing, easy to use multi-purpose epoxy putty. It useful in sealing, gripping, joining, insulating variety of surfaces like ferrous and non-ferrous metals, porcelain, ceramic, marble, concrete, granite, asbestos, glass, wood, certain plastics, etc.

On curing, the compound sets into a hard mass that can be drilled, tapped, machined, cut and then painted. It has a good electrical insulating properties and the cured product is resistant to moisture, heat, mild acids and alkali.

It is ideal for industrial, electrical, automotive, grouting civil cracks, general & household, handicraft applications. Resin and hardener components are equally mixed with both hands by rolling between two palms until a dark gray colour (like dried cement mortar) is attained.

Shelf life: 1 year.



Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
25 gm High Speed Rapid Set - Jar Pack	44	528	Rs. 10.00	3214100	GST 18%
50 gm High Speed Rapid Set - Jar Pack	37	444	Rs. 20.00	3214100	GST 18%
100 gm High Speed Rapid Set - Jar Pack	20	240	Rs. 35.00	3214100	GST 18%
250 gm High Speed Rapid Set	40	80	Rs. 70.00	3214100	GST 18%
1000 gm High Speed Rapid Set	1	20	Rs. 260.00	3214100	GST 18%

## P.T.F.E TAPES

### NEOSEAL PREMIUM QUALITY PTFE TAPE

- High density - Premium Quality.
- Self-Lubricating, non-hardening, non-toxic, non-flammable tape.
- Fills irregular voids between threads. Easy to assemble and disassemble.
- Offers positive pressure seal up to 3 ton (depending on material).
- Temperature range from -265°C to +260°C.
- **Meets US Federal Specification MIL – T - 27730A.**
- HSN Code - 39209941
- Taxes - GST 18%



Size	Units/Case	Units/Cartoon	MRP. Rs.	Taxes
Premium 12mm x 0.09 x 5 mtr. - White	250	1000	Rs. 15.00	GST 18%
Premium 12mm x 0.10 x 10 mtr. - Yellow - S.wrap	250	1000	Rs. 30.00	GST 18%
Premium PLUS 12mm x 0.15 x 10 mtr.. - Yellow	250	1000	Rs. 40.00	GST 18%
Standard 12mm x 0.085 x 10 mtr. - White	250	1000	Rs. 25.00	GST 18%
Premium 12mm x 0.10 x 10 mtr. - White	250	1000	Rs. 35.00	GST 18%

**PRICE LIST EFFECTIVE FROM - 01 MAY 2023**

## BALL VALVE

### UPVC Ball Valve

Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
1/2"	96	384	Rs. 115.00	84818090	GST 18%
3/4"	53	212	Rs. 150.00	84818090	GST 18%
1"	36	144	Rs. 220.00	84818090	GST 18%
1 1/4"	20	80	Rs. 295.00	84818090	GST 18%
1 1/2"	16	64	Rs. 435.00	84818090	GST 18%
2"	8	32	Rs. 640.00	84818090	GST 18%



### CPVC Ball Valve

Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
1/2"	84	336	Rs. 135.00	84818090	GST 18%
3/4"	53	212	Rs. 215.00	84818090	GST 18%
1"	36	144	Rs. 325.00	84818090	GST 18%
1 1/4"	20	80	Rs. 610.00	84818090	GST 18%
1 1/2"	16	64	Rs. 1080.00	84818090	GST 18%
2"	8	32	Rs. 1600.00	84818090	GST 18%



### M.S. Handle UPVC Ball Valve

Size	Units/Case	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
1/2"	15	360	Rs. 135.00	84818090	GST 18%
3/4"	10	240	Rs. 180.00	84818090	GST 18%
1"	8	160	Rs. 240.00	84818090	GST 18%
1 1/4"	5	100	Rs. 355.00	84818090	GST 18%
1 1/2"	4	80	Rs. 480.00	84818090	GST 18%
2"	2	48	Rs. 690.00	84818090	GST 18%



### DRAIN CLEANER

Size	Units/Jar	Units/Cartoon	MRP. Rs.	HSN Code	Taxes
50 gm	1 Jar (48 pc)	12 Jar (576 pc)	Rs. 25.00	34022090	GST 18%



## SELECTION GUIDE FOR SOLVENT CEMENT

Choosing the correct cement is a vital link in a thermoplastic piping system

PRODUCTS	PIPING SYSTEM	BODIED TYPE	PIPE DIAMETER (IN INCH) INTERFERENCE FIT
NeoSeal 105 Clear	PVC (Irrigation)	Regular Bodied	Up to 8" diameter Irrigation piping
NeoSeal 300 Yellow	CPVC	Medium Bodied	Up to 3" diameter Sch. 40 & 80 both
NeoSeal 200 Clear	PVC, UPVC (PCV-U)	Regular Bodied	Up to 3" diameter Sch. 40 & 80 both
Rubber Lubricant	PVC & SWR	Lubricant	For quick and easy water tight joint
NeoSeal Neo-Tite	GI, Steel, Aluminium, etc.	Thread Sealant	For excellent thread coverage
NeoSeal Easy-Seal	Multi purpose Putty	Epoxy Putty	Can fill gaps and even be molded into a structural part
NeoSeal P.T.F.E TAPES	Gas Line, Water Line, etc	Teflon Tape	For sealing pipe threads
NeoSeal Masking Tape	Furniture, Paint, etc.	Adhesive Tape	Easy-to-tear and used mainly to mask off areas
NeoSeal 701 GP Silicone	For sealing joints	Silicone Sealant	Good water-resistant solution, for filling any type of gapes
NeoSeal Ball Valve	CPVC & UPVC	Ball Valve	For all type of CPVC and UPVC pipe and fittings

#### Terms & Conditions:

1. Price inclusive of 18% GST.
2. Delivery Ex Godown Guwahati.
3. Price are subject to alteration without notice.

**PRICE LIST EFFECTIVE FROM - 01 MAY 2023**



**Solvent Cements for  
UPVC, CPVC, PVC & ABS Piping Systems.**



## **SANI STEELS CORPORATION**

**Contact us @ 84860 30013 | 88110 77477**

Office: 2nd Floor, P.R. Complex, A.T. Road, Guwahati-781001

Shop: Lal Singh Mansion, A.T. Road, Guwahati-781001

Extension Counter: Tokobari Road, Near Rly. Gate No.-3, Guwahati-781001, Ph.: 97060 00000

**SISTER CONCERN**

## **SANICO TRADING CO.**

Purnima Commercial Complex, 3rd Floor, G. S. Road, Guwahati - 781007

Mobile: +91 70119 14485

## **SANICO MARKETING CORPORATION**

Swaraaj Residency, Near Dispur Polyclinic, Hengrabari, Guwahati

Mobile: +91 95775 25924

## **SANICO SALES CORPORATION**

2nd Floor, Purnima Commercial Complex, Christian Basti, G. S. Road, Guwahati - 781007,

Mobile: +91 90850 40400

**Email: [bijay@sanisteels.com](mailto:bijay@sanisteels.com)**